



Nicola N

Maturity	:	medium early
cooking type (EAPR)	:	A-B (firm cooking, salad variety)
resistance to nematodes	:	Ro1
resistance to potato wart disease (Synchytr.)	:	1
tuber shape	:	long-oval to long
eye depth	:	shallow
skin	:	smooth
flesh colour	:	yellow
yield	:	high in regular calibration
calibration	:	regular
consumption quality	:	excellent, mild taste
discoloration after cooking	:	very low

resistances

Y-Virus (PVY)	:	medium
potato leaf roll virus (PLRV)	:	low
common scab (<i>Streptomyces scabies</i>)	:	high
black leg (<i>Erwinia</i> spp.)	:	high
late blight (<i>Phytophthora infestans</i>)	:	medium
internal rust spots	:	medium
processing quality	:	none
sensitivity to mechanical damage	:	high
dormancy	:	medium

NICOLA produces a high number of tubers, thereby using less nitrogen than average. Regular late blight treatments are recommended.
32-34 cm in the 75 cm row

NICOLA has medium demand to soil and water supply.

NICOLA should be harvested carefully after haulm killing in order to increase storability

Europlant Pflanzenzucht GmbH
P.O.Box 1380 – D-21303 Lueneburg
europlant@europlant.biz
www.europlant.biz

Evaluation:
9 = very sensitive
1 = very resistant