

very early to early salad potato

- deep yellow flesh colour
- ✓ salad tuber shape
- ✓ fine skin and shallow eyes
- ✓ early dry matter content





ALEXANDRA - nice skin with delicious flavour

Growing recommendations					
Site requirements	prefers average to better soil conditions with uniform supply of water and nutrients				
Planting	Seed material sorting 35/55	Row width		Tubers/ha	
		75 cm	90 cm		
		32-34 cm 2	7-28 cm	40,400	
	first early production +2 cm			cm	
	Planting depth	plant higher tuber nest 2 cm deeper if necessary (max. 17 cm soil cover)			
	Seed preparation	has a good dormancy; a temperature shock before setting up for pregermination or before planting is particularly important			
	Seed dressing	preventive chemical control of Rhizoctonia solani recommended generally; compatibility of particular active ingredients has to be checked			
Herbicides	no sensitivities are known when used properly				
Foliage	average leaf health; timely and regular use of fungicides against late blight is advisable				
Harvest	sensitive tuber shape, therefore slightly prone to damage; raise gently				
Fertilization incl. return of previous crop at medium supply level					
Nitrogen (N)	medium - compared to the local standard (whole amount at planting)				
Phosphorus (P ₂ O ₅)	100 kg/ha (water soluble phosphate at planting)				
Potassium (K₂O)	325-245 kg/ha (to ensure the rapid storage of substances preferably sulphate potassium)				
Magnesium (MgO)	60 kg/ha (for yield and quality assurance)				
Variety characteristics					
Maturity	very early to early	Tuber characteristics			
Cooking type	А	Tuber shape Eve depth		longoval very shallow - shallow deep yellow yellow smooth medium - high	
Consumption quality	firm cooking salad variety; early, good consumption quality	Flesh colour Flesh colour Skin colour Skin Number of tubers	deep ye yellow smooth		
Yield	medium yields; fine and attractive grading	Resistances PCN	Ro1 (9)	, Ro2/3	
Youth development	initially hesitant, later rapid	Sensitivities Common scab	medium	medium low low medium	
Dormancy	good dormancy	Spraing Bruising Mechanical damage	low		

All particulars are based on official variety trials and/or our own experience. However, as potatoes are natural products we cannot undertake any liability for these details. (07/2023)