



EUROPLANT


ANNALENA



medium early, firm cooking ware variety

- ✓ yellow flesh colour
- ✓ high culinary quality
- ✓ very attractive tuber shape
- ✓ Low-Input variety

ANNALENA - Low-Input variety with high yield potential and excellent culinary quality

Growing recommendations				
Site requirements	prefers average to better soil conditions with uniform supply of water and nutrients			
Planting 	Seed material sorting 35/55	Row width		Tubers/ha
		75 cm	90 cm	
		28-30 cm	23-25 cm	46,000
	Planting depth	standard		
	Seed preparation	has a good dormancy; sprout stimulation evenly before planting (7-10 days)		
Seed dressing	dressing against Rhizoctonia solani recommended			
Herbicides	is sensitive to Metribuzin in the post-emergence; avoid use			
Foliage	good, average leaf health; however, regular use of fungicides is recommended			
Harvest	standard			
Fertilization incl. return of previous crop at medium supply level				
Nitrogen (N)	low - compared to the local standard (2/3 before planting and 1/3 later)			
Phosphorus (P₂O₅)	100 kg/ha (water soluble phosphate at planting)			
Potassium (K₂O)	350-270 kg/ha (up to 150 kg/ha chloride possible; on lighter soils split doses)			
Magnesium (MgO)	70 kg/ha (for yield and quality assurance)			
Variety characteristics				
Maturity	medium early	Tuber characteristics Tuber shape Eye depth Flesh colour Skin colour Skin Number of tubers	longoval shallow yellow yellow smooth - netted medium - high	
Cooking type	A - B			
Consumption quality	firm cooking, aromatic flavour			
Yield	high marketable yield with uniform grading	Resistances PCN	Ro1, Ro4	
Youth development	rapid	Sensitivities Common scab Spraing Bruising Mechanical damage	low medium low low - medium	
Dormancy	good dormancy			

All particulars are based on official variety trials and/or our own experience. However, as potatoes are natural products we cannot undertake any liability for these details. (06/2021)