



EUROPLANT


CORINNA



## **very early, mainly firm cooking connection variety**

- ✓ light yellow to yellow flesh colour
- ✓ attractive, stable tuber shape
- ✓ early skin set
- ✓ suitable to store

CORINNA - early skin set, suitable for washing and prepacking

Growing recommendations				
<b>Site requirements</b>	preferably grown on medium soils with uniform supply of water and nutrients			
<b>Planting</b> 	<b>Seed material sorting</b> 35/55	<b>Row width</b>		<b>Tubers/ha</b>
		75 cm	90 cm	
		32-34 cm	27-28 cm	40,400
	<b>Planting depth</b>	planted 2 cm deeper for high-yielding locations (max. 1.7 cm soil cover)		
	<b>Seed preparation</b>	has a good dormancy; a temperature shock before setting up for pregermination or before planting is particularly important		
	<b>Seed dressing</b>	dressing against Rhizoctonia solani recommended		
<b>Herbicides</b>	exhibits average sensitivity to Metribuzin in the post-emergence			
<b>Foliage</b>	good, average leaf health			
<b>Harvest</b>	timely and gentle harvesting after achieving skin stability			
Fertilization incl. return of previous crop at medium supply level				
<b>Nitrogen (N)</b>	medium - compared to the local standard (whole amount at planting)			
<b>Phosphorus (P<sub>2</sub>O<sub>5</sub>)</b>	100 kg/ha (at planting, water soluble phosphate)			
<b>Potassium (K<sub>2</sub>O)</b>	350 - 270 kg/ha (to ensure the rapid storage of substances preferably sulphate potassium)			
<b>Magnesium (MgO)</b>	70 kg/ha (for yield and quality assurance)			
Variety characteristics				
<b>Maturity</b>	very early to early	<b>Tuber characteristics</b> Tuber shape Eye depth Flesh colour Skin colour Skin Number of tubers	oval very shallow - shallow yellow yellow smooth medium - high	
<b>Cooking type</b>	B			
<b>Consumption quality</b>	mainly firm cooking; low discolouration after cooking			
<b>Yield</b>	medium to high marketable yield with attractive and uniform grading	<b>Resistances</b> PCN	Ro1 (9), Ro4 (9)	
<b>Youth development</b>	rapid	<b>Sensitivities</b> Common scab Spraing Bruising Mechanical damage	low - medium low very low - low low	
<b>Dormancy</b>	good dormancy			

All particulars are based on official variety trials and/or our own experience. However, as potatoes are natural products we cannot undertake any liability for these details. (07/2023)