



EUROPLANT

CORONADA



early, mainly firm cooking quality ware potato

- ✓ yellow flesh colour
- ✓ high yield potential
- ✓ attractive tuber shape
- ✓ lower carb

CORONADA - meets the requirements of a "lower carb" potato

Growing recommendations				
Site requirements	average to better soil conditions; locations susceptible to rust spot should be avoided			
Planting 	Seed material sorting 35/55	Row width		Tubers/ha
		75 cm	90 cm	
		28-30 cm	23-25 cm	46,000
		for smaller grading sizes -2 cm		
	Planting depth	standard		
	Seed preparation	has good dormancy; sensitive to sprout breaking; a temperature shock briefly before planting (3-4 days) is beneficial		
Seed dressing	dressing against Rhizoctonia solani recommended			
Herbicides	when used correctly, no sensitivity to Metribuzin is known in the pre-emergence and a medium sensitivity to Metribuzin in the post-emergence			
Foliage	good, average leaf health; however, regular use of fungicides is recommended			
Harvest	needs app. one week longer to achieve skin stability; classic storage variety, should be completely dry before washing			
Fertilization incl. return of previous crop at medium supply level				
Nitrogen (N)	low - compared to the local standard (Low-Input variety, whole amount at planting)			
Phosphorus (P ₂ O ₅)	100 kg/ha (water soluble phosphate at planting)			
Potassium (K ₂ O)	350-270 kg/ha (up to 150 kg/ha chloride possible; on lighter soils split doses)			
Magnesium (MgO)	70 kg/ha (for yield and quality assurance)			
Variety characteristics				
Maturity	early	Tuber characteristics Tuber shape Eye depth Flesh colour Skin colour Skin Number of tubers	oval very shallow - shallow yellow yellow smooth medium	
Cooking type	B			
Consumption quality	mainly firm cooking; low discolouration after cooking; lower carb			
Yield	medium to high yield; high marketable yield; uniform large tuber sized grading	Resistances PCN Potato wart disease	Ro1 (9), Ro2/3 (9), Ro4 (7) 1	
Youth development	initially hesitant, later rapid	Sensitivities Common scab Spraing Bruising Mechanical damage	medium medium - high very low - low low	
Dormancy	very dormant; suitable for long-term storage			

All particulars are based on official variety trials and/or our own experience. However, as potatoes are natural products we cannot undertake any liability for these details. (06/2021)