# EURODELTA

EUROPLANT

EURODELTA - medium early starch variety with broad PCN resistance and -tolerance as well as resistance against wart disease

| **Growing recommendations** | | | | |
|---|---|---|---|---|
| **Site requirements** | average to better soil conditions; locations susceptible to rust spot should be avoided | | | |
| **Planting** | **Ø g/tuber** | **Row width** | | **Tubers/ha** |
| | | **75 cm** | **90 cm** | |
| | 70 g | 35 cm | 29 cm | 38,500 |
| | 80 g | 39 cm | 33 cm | 34,100 |
| | **Planting depth** | standard | | |
| | **Seed preparation** | has a good dormancy; sprout stimulation evenly before planting (7-10 days) | | |
| | **Seed dressing** | dressing against Rhizoctonia solani recommended | | |
| **Herbicides** | no sensitivities are known when used properly* | | | |
| **Foliage** | good, average leaf health; however, regular use of fungicides is recommended | | | |
| **Harvest** | ensure gentle harvest | | | |
| **Fertilization** incl. return of previous crop at medium supply level | | | | |
| **Nitrogen (N)** | medium - compared to the local standard (2/3 before planting and 1/3 later) | | | |
| **Phosphorus ($P_2O_5$)** | 100 kg/ha (water soluble phosphate at planting) | | | |
| **Potassium ($K_2O$)** | 250–190 kg/ha (up to 80 kg/ha chloride possible; on lighter soils split doses) | | | |
| **Magnesium (MgO)** | 70 kg/ha (for yield and quality assurance) | | | |
| **Variety characteristics** | | | | |
| **Maturity** | medium early | **Tuber characteristics** | | |
| **Starch content** | very high starch performance with early starch content | Tuber shape | roundoval | |
| | | Eye depth | medium | |
| | | Flesh colour | cream | |
| **Yield** | early high tuber yields | Skin colour | yellow | |
| | | Skin | netted | |
| | | Number of tubers | medium - high | |
| **Youth development** | rapid | **Resistances** | | |
| **Dormancy** | good dormancy | PCN | Ro1 (9)<br>Pa2 (8), Pa3 (8) | |
| | | Nematode tolerance | tolerant | |
| | | Potato wart disease | 1, 2 (a), 6, 8/18 | |
| | | **Sensitivities** | | |
| | | Common scab | low | |
| | | Spraing | high | |
| | | Bruising | medium | |
| | | Mechanical damage | high | |

* preliminary | (a) low sensitivities

All particulars are based on official variety trials and/or our own experience. However, as potatoes are natural products we cannot undertake any liability for these details. (05/2026)

EUROPLANT Pflanzenzucht GmbH | Wulf-Werum-Str. 1 | 21337 Lüneburg GERMANY |
Tel. +49 4131 7480 05 | Fax +49 4131 7480 580 | info@europlant.biz | www.europlant.biz