

MELANIE



medium early processing variety for French fries

- ✓ white-yellow flesh colour
- high marketable yields
- high processing yields
- ✓ stable baking quality from long-term storage





MELANIE - high yields with good processing quality from long-term storage

Site requirements	average to better soil condi	tions; locations susce	otible to rust spo	t should be avoided
Planting	Seed material sorting 35/55	Row width		Tubers/ha
		75 cm	90 cm	
		34-36 cm	28-30 cm	38,000
	Planting depth	standard		
	Seed preparation	has a good dormancy; sprout stimulation evenly before planting (7-10 days)		
	Seed dressing	dressing against Rhizoctonia solani recommended		
Herbicides	no sensitivities are known when used properly*			
Foliage	average leaf health; timely and regular use of fungicides against late blight is advisable			
Harvest	standard			
Fertilization incl. return of	f previous crop at medium supply level			
Nitrogen (N)	medium - compared to the local standard (2/3 before planting and 1/3 later)			
Phosphorus (P ₂ O ₅)	100 kg/ha (water soluble phosphate at planting)			
Potassium (K ₂ O)	350-270 kg/ha (up to 80 kg/ha chloride possible; on lighter soils split doses)			
Magnesium (MgO)	70 kg/ha (for yield and quality assurance)			
Variety characteristics				
Maturity	medium early	Tuber characteris	tics	
Processing quality	stable starch content, good baking quality, high shape stability	Tuber shape Eye depth Flesh colour Skin Number of tul	netted	w - light yellow I
Yield	high yield; high market share	Resistances PCN Potato wart d	Ro1 (9	
Youth development	initially hesistant, later rapid	Sensitivities Common scab low - medium		
Dormancy	very dormant	Spraing Bruising Mechanical da	m - high ow - low medium	

^{*} preliminary | ** tested in an EU country

All particulars are based on official variety trials and/or our own experience. However, as potatoes are natural products we cannot undertake any liability for these details. (09/2023)