



EUROPLANT


SANTORIA



early, mainly firm cooking ware potato

- ✓ deep yellow flesh colour
- ✓ high yield
- ✓ smooth skin, shallow eyes
- ✓ tight sorting dimension for packaging

SANTORIA - early and visual attractive variety for packaging

Growing recommendations				
Site requirements	prefers average locations with uniform supply of water and nutrients			
Planting 	Seed material sorting 35/50	Row width		Tubers/ha
		75 cm	90 cm	
		32-34 cm	27-28 cm	40,400
	Planting depth	standard		
	Seed preparation	germinating variety; keep cool until seed preparation		
	Seed dressing	dressing against Rhizoctonia solani recommended		
Herbicides	no sensitivities are known when used properly			
Foliage	good, average leaf health			
Harvest	standard			
Fertilization incl. return of previous crop at medium supply level				
Nitrogen (N)	medium - compared to the local standard (whole amount at planting)			
Phosphorus (P₂O₅)	100 kg/ha (water soluble phosphate at planting)			
Potassium (K₂O)	350-270 kg/ha (up to 80 kg/ha chloride possible; on lighter soils split doses)			
Magnesium (MgO)	70 kg/ha (for yield and quality assurance)			
Variety characteristics				
Maturity	early	Tuber characteristics Tuber shape Eye depth Flesh colour Skin colour Skin Number of tubers	oval shallow deep yellow yellow smooth high	
Cooking type	B			
Consumption quality	mainly firm cooking, low discolouration after cooking, excellent taste			
Yield	early yields with high market share	Resistances PCN	Ro1 (9)	
Youth development	rapid	Sensitivities Common scab Spraing Bruising Mechanical damage	low very low - low low low	
Dormancy	good dormancy			

All particulars are based on official variety trials and/or our own experience. However, as potatoes are natural products we cannot undertake any liability for these details. (06/2025)