



Eurobeta

very early crisp variety

| | | | |
|--|--|---|---|
| Maturity | very early | Tuber Tuber shape Eye depth Skin Flesh colour Raw discolouration | round-oval shallow yellow, slightly netted light yellow low |
| Yield Marketable yield | high high - very high, uniform medium sized grading | | |
| Quality Dry matter Reducing sugars Crisp colour | medium low, also after storage good | Resistances Potato wart disease PCN Potato Leafroll Virus Potato Virus Y (PVY) Tuber blight Common scab | D1 Ro 1, Ro 4 high high high high |
| Youth development | very rapid | | |
| Dormancy | medium, good storability | | |
| | | Sensitivities Spraing Bruising Mechanical damage | medium medium low - medium |

Eurobeta shows very good crisp results in fresh production at the beginning of the processing campaign. Growing under foil or fleece is beneficial in order to enable earlier harvesting.

Eurobeta gives best result while growing on better soil with regular water supply. Recommended planting density for early harvest is approx. 40,000 plants/ha.

Eurobeta should be fertilized with potassium sulphate in order to ensure early high dry matter content.

All particulars are based on official variety trials and/or our own experience.
However, as potatoes are natural products we cannot undertake any liability for these details.

EUROPLANT Pflanzenzucht GmbH

P. O. Box 1380 · D-21303 Lüneburg · tel.: +49 4131 7480-05 · fax: +49 4131 7480-580
mail: europlant@europlant.biz · www.europlant.biz