

varieties, competence & service

Danina




medium early high yielding ware potato with oval tubers and nice skin

- yellow flesh colour
- good consumption quality
- mainly firm cooking
- very high marketable yield

Danina

medium early mainly firm cooking variety
with a good taste and yield

Variety characteristics			
Maturity	medium early	Tuber	
Cooking Type (EAPR)	B	Tuber shape Eye depth Skin Flesh colour	oval medium yellow, smooth yellow
Consumption quality	yellow flesh colour; very low discolouration after cooking		
Yield	very good yield with a perfect 40/70 mm grading	Resistances	
Youth development	initially hesitant, later rapid	PCN Potato Leafroll virus Leaf blight Tuber blight Rhizoctonia Common Scab	Ro 1, 3, 5 (all 8)* medium medium medium medium high
Dormancy	good storability	Sensitivities	
		Spraing Bruising Mechanical damage	low very low low
Growing recommendations			
Site requirements	preferably grown on medium soils with uniform water and nutrient supply		
Planting	planting density	approx. 44.000 plants/ha (seed size 35/55 mm); => check QR Code for more details	
	planting depth	normal	
	seed preparation	strong dormancy, temperature shock 3 days before planting	
	seed dressing	preventive control of Rhizoctonia solani is generally recommended	
Foliage	good foliage		
Herbicides	no sensitivities known		
Fertilization		further information	
Nitrogen	low-medium - compared to local standard		
Phosphorus	100 kg/ha (at planting, water soluble phosphate)		
Potassium	200 - 250 kg/ha		
Magnesium	60 kg/ha		

*) preliminary result resistance expected

All particulars are based on official variety trials and/or our own experience.
However, as potatoes are natural products we cannot undertake any liability for these details.

EUROPLANT Pflanzenzucht GmbH

P. O. Box 1380 · D-21303 Lüneburg · tel.: +49 4131 748005 · fax: +49 4131 7480580
mail: europlant@europlant.biz · www.europlant.biz