


# Floridana

medium early mainly firm cooking variety

Variety characteristics			
<b>Maturity</b>	medium early	<b>Tuber</b>	
<b>Cooking Type (EAPR)</b>	B	Tuber shape Eye depth Skin Flesh colour	round shallow smooth light yellow
<b>Consumption quality</b>	good, light yellow flesh colour		
<b>Yield</b>	very good yield, uniform grading	<b>Resistances</b>	
<b>Youth development</b>	rapid	PCN Potato Leafroll virus Leaf blight Tuber blight Rhizoctonia Common Scab	Ro 1(9), 4 * medium medium medium medium high
<b>Dormancy</b>	medium-good dormancy, very good storability	<b>Sensitivities</b>	
		Spraing Bruising Mechanical damage	low low - medium low
Growing recommendations			
<b>Site requirements</b>	preferably grown on medium soils with uniform water and nutrient supply		
<b>Planting</b>	planting density	approx. 44.000 plants/ha (seed size 35/55 mm); => check QR Code for more details	
	planting depth	normal	
	seed preparation	sprouting stimulation short before planting	
	seed dressing	preventive control of Rhizoctonia solani is generally recommended	
<b>Foliage</b>	<b>Floridana</b> has a good foliage		
<b>Herbicides</b>	no sensitivities known		
Fertilization		further information	
<b>Nitrogen</b>	low-medium - compared to local standard		
<b>Phosphorus</b>	100 kg/ha (at planting, water soluble phosphate)		
<b>Potassium</b>	200 - 250 kg/ha		
<b>Magnesium</b>	60 kg/ha		

\*) preliminary

All particulars are based on official variety trials and/or our own experience.  
However, as potatoes are natural products we cannot undertake any liability for these details.

**EUROPLANT Pflanzenzucht GmbH**

P. O. Box 1380 · D-21303 Lüneburg · tel.: +49 4131 748005 · fax: +49 4131 7480580  
mail: europlant@europlant.biz · www.europlant.biz